



دانشگاه نجف

دانشکده مهندسی

گروه برق

پایان نامه کارشناسی

گرایش: مخابرات

عنوان: تاثیر عدم دید مستقیم در وایمکس

استاد راهنما: دکتر محمد مصطفوی

نماینده سرفرهادی

تاریخ دفاعیه: تیر ماه ۱۳۹۰

.....	۱.۷.۴	تحریک پذیری mobility
.....	۱.۷.۵	قابلیت حمل portability
.....	۱.۷.۶	امنیت
.....	۱.۷.۷	پشتیبانی از IP در حالت بی سیم
.....	۱.۷.۸	خلاصه ای از چالش های فنی
.....	۱.۸	خلاصه و نتیجه گیری
.....	فصل دوم:	خلاصه ای بر WiMAX و بررسی لایه فیزیکی آن
.....	۲.۱	تاریخچه IEEE802.16 و WiMAX
.....	۲.۲	جنبه های بارز WiMAX
.....	۲.۳	لایه فیزیکی WiMAX
.....	۲.۳.۱	اصول OFDM
.....	۲.۳.۲	موافقان و مخالفان با OFDM
.....	۲.۳.۳	پارامتر های OFDM در WiMAX
.....	۲.۳.۴	تفکیک به زیر کانال ها : OFDM
.....	۲.۳.۵	ساختمان فریم و اسلات
.....	۲.۳.۶	مدولاسیون و کدینگ تطبیقی در WiMAX
.....	۲.۳.۷	نرخ دیتای لایه فیزیکی
.....	۲.۴	خلاصه و نتیجه گیری
.....	فصل سوم:	اصول فنی WiMAX : چالش های کانال باند پهن بی سیم
.....	۳.۱	اجزای سازنده سیستم مخابراتی
.....	۳.۲	کانال های باند پهن بی سیم: pathloss و shadowing
.....	۳.۲.۱	pathloss
.....	۳.۲.۲	shadowing

- مراجع:
- [1] ITU. Telecommunications indicators update—2004. www.itu.int/ITU-D/ict/statistics/.
[2] In-stat Report. Paxton. The broadband boom continues: Worldwide subscribers pass 200 million, No.IN0603199MBS, March 2006.
[3] IEEE. Standard 802.16-2004. Part16: Air interface for fixed broadband wireless access systems. October2004
[4] IEEE. Standard 802.16e-2005. Part16: Air interface for fixed and mobile broadband wireless access systems—Amendment for physical and medium access control layers for combined fixed and mobile operation in licensed band. December 2005
[5] G. J. M. Janssen, P. A. Stigter, and R. Prasad. Wideband indoor channel measurements and BER analysis of frequency selective multipath channels at 2.4, 4.75, and 11.5GHz. *IEEE Transactions on Communications*,44(10):1272–1288, October 1996.
[6] P. Papazian. Basic transmission loss and delay spread measurements for frequencies between 430 and 5750MHz. *IEEE Transactions on Antennas and Propagation*, 53(2):694–701, February 2005.
[7] D. Parsons. *The Mobile Radio Propagation Channel*. Wiley, 1992.
[8] M. D. Yacoub. *Foundations of Mobile Radio Engineering*. CRC Press, 1993.
[9] T. Okumura, E. Ohmori, and K. Fukuda. Field strength and its variability in VHF and UHF land mobile service. *Review Electrical Communication Laboratory*, pp. 825–873, September 1968.
[10] S. Y. Seidel, T. Rappaport, S. Jain, M. Lord, and R. Singh. Path loss, scattering and multipath delay statistics in four European cities for digital cellular and microcellular radiotelephone. *IEEE Transactions on Vehicular Technology*, 40(4):721–730, November 1990.
[11] L. F. Fenton. The sum of log-normal probability distributions in scatter transmission systems. *IRE Transactions Communications*, 8:57–67, March 1960.
[12] S. Schwartz and Y. S. Yeh. On the distribution function and moments of power sums with log-normal components. *Bell Systems Technical Journal*, 61:1441–1462, September 1982.
[13] W. Choi and J. Y. Kim. Forward-link capacity of a DS/CDMA system with mixed multirate sources. *IEEE Transactions on Vehicular Technology*, 50(3):737–749, May 2001.

- [14] H. Dai, A. Molisch, and H. V. Poor. Downlink capacity of interference-limited MIMO systems with joint detection. *IEEE Transactions on Wireless Communications*, 3(2):442–453, March 2004.
- [15] G. Durgin. *Space-Time Wireless Channels*. Prentice Hall, 2003.
- [16] S. O. Rice. Statistical properties of a sine wave plus random noise. *Bell Systems Technical Journal*, 27:109–157, January 1948.
- [17] M. Nakagami. The m-distribution: A general formula of intensity distribution of rapid fading. *Statistical Methods in Radio Wave Propagation*, Pergamon, Oxford, England, pp. 3–36, 1960.
- [18] J. G. Andrews, A. Ghosh and R. Muhamed, "Fundamentals of WiMAX: Understanding Broadband Wireless Networking," Prentice Hall, 2007.
- [19] S. Shakkottai, T. S. Rappaport, and P. Karlson. Cross-layer design for wireless networks. *IEEE Communications Magazine*, pp. 74–80, October 2003.
- [20] X. Gui and T. S. Ng. Performance of asynchronous orthogonal multicarrier system in a frequency selective fading channel. *IEEE Transactions on Communications*, 47(7):1084–1091, July 1999.
- [21] M. Sharif and B. Hassibi. Scaling laws of sum rate using time-sharing, DPC, and beamforming for mimo broadcast channels. In *Proceedings, IEEE International Symposium on Information Theory*, p. 175, July 2004.
- [22] W. Choi and J. G. Andrews. The capacity gain from base station cooperative scheduling in a MIMO DPC cellular system. In *Proceedings, IEEE International Symposium on Information Theory*, Seattle, WA, June 2006.
- [23] S. G. Chua and A. Goldsmith. Adaptive coded modulation for fading channels. *IEEE Transactions on Communications*, 46(5):595–602, May 1998.
- [24] A. Goldsmith and P. Varaiya. Capacity of fading channels with channel side information. *IEEE Transactions on Information Theory*, pp. 1986–1992, November 1997.
- [25] A. J. Goldsmith. *Wireless Communications*. Cambridge University Press, 2005.
- [26] R. Chen, J. G. Andrews, R. W. Heath, and A. Ghosh. Uplink power control in multi-cell spatial multiplexing wireless systems. *IEEE Transactions on Wireless Communications*. Forthcoming.
- [27] D. Kivanc, G. Li, and H. Liu. Computationally efficient bandwidth allocation and power control for OFDMA. *IEEE Transactions on Wireless Communications*, 2(6):1150–1158, November 2003.

- دانشگاه زنجان، دانشکده مهندسی گروه برق آزمایشگاه پروژه برق دانشگاه زنجان، دانشکده مهندسی گروه برق آزمایشگاه پروژه برق دانشگاه زنجان
- [28] C. Wong, R. Cheng, K. Letaief, and R. Murch. Multiuser OFDM with adaptive subcarrier, bit, and power allocation. *IEEE Journal on Selected Areas in Communications*, 17(10):1747–1758, October 1999.
- [29] J. Jang and K. Lee. Transmit power adaptation for multiuser OFDM systems. *IEEE Journal on Selected Areas in Communications*, 21(2):171–178, February 2003.
- [30] G. Li and H. Liu. On the optimality of the OFDMA network. *IEEE Communications Letters*, 9(5):438–440, May 2005.
- [31] C. Mohanram and S. Bhashyam. A sub-optimal joint subcarrier and power allocation algorithm for multiuser OFDM. *IEEE Communications Letters*, 9(8):685–687, August 2005.
- [32] Y. J. Zhang and K. B. Letaief. Multiuser adaptive subcarrier-and-bit allocation with adaptive cell selection for OFDM systems. *IEEE Transactions on Wireless Communications*, 3(4):1566–1575, September 2004.
- [33] W. Rhee and J. M. Cioffi. Increase in capacity of multiuser OFDM system using dynamic subchannel allocation. In *Proceedings, IEEE Vehicular Technology Conference*, pp. 1085–1089, Tokyo, May 2000.
- [34] I. Wong, Z. Shen, B. Evans, and J. Andrews. A low complexity algorithm for proportional resource allocation in OFDMA systems. In *Proceedings, IEEE Signal Processing Workshop*, pp. 1–6, Austin, TX, October 2004.
- [35] Z. Shen, J. G. Andrews, and B. Evans. Optimal power allocation for multiuser OFDM. In *Proceedings, IEEE Globecom*, pp. 337–341, San Francisco, December 2003.
- [36] Z. Shen, J. G. Andrews, and B. L. Evans. Adaptive resource allocation for multiuser OFDM with constrained fairness. *IEEE Transactions on Wireless Communications*, 4(6):2726–2737, November 2005.
- [37] D. Tse. Multiuser diversity in wireless networks. In *Stanford Wireless Communications Seminar*, www.stanford.edu/group/wcs/. April 2001.
- [38] P. Viswanath, D. Tse, and R. Laroia. Opportunistic beamforming using dumb antennas. *IEEE Transactions on Information Theory*, 48(6):1277–1294, June 2002.
- [39] H. Olofsson, J. Naslund, and J. Skold. Interference diversity gain in frequency hopping GSM. In *Proceedings, IEEE Vehicular Technology Conference*, 1:102–106, August 1995.
- [40] K. Stamatiou and J. Proakis. A performance analysis of coded frequency-hopped OFDMA [cellular system]. In *Proceedings, IEEE Wireless Communications and Networking Conference*, 2:1132–1137, March 2005.
- دانشگاه زنجان، دانشکده مهندسی گروه برق آزمایشگاه پروژه برق دانشگاه زنجان، دانشکده مهندسی گروه برق آزمایشگاه پروژه برق دانشگاه زنجان

